



Main	:	38.05	Sq. m.
A Light genoa	:	67.95	Sq. m.
B Medium genoa	:	67.95	Sq. m.
C Heavy genoa	:	55.60	Sq. m.
D N° 4 genoa	:	46.07	Sq. m.
E Working jib	:	33.75	Sq. m.
F N° 2 jib	:	26.06	Sq. m.
G N° 3 jib	:	19.57	Sq. m.
H Storm jib	:	14.75	Sq. m.
Spinnaker	:	150.00	Sq. m.



FIRST 435
SAIL PLAN




	Std	"S"
E	: 4 750	4 750 mm
P	: 15 000	15 775 "
I	: 16 900	17 675 "
J	: 5 260	5 260 "
LP	: 7 890	

Forestay : Iso
 Ø 12 mm
 Length between pins : Std : 1 719 cm
 "S" : 1 779 cm


DECK LAYOUT

- 01 - Bow fitting
- 02 - Chain locker
- 03 - Chainplate
- 04 - Mooring cleat
- 05 - Deck opening hatch - 500 x 500
- 06 - Deck opening hatch - 500 x 500
- 07 - Babystay chainplate
- 08 - Deck opening hatch - 500 x 500
- 09 - Reefing winch
- 10 - Mast
- 11 - 2nd spinnaker halyard
- 12 - 2nd genoa halyard
- 13 - Spinnaker halyard
- 14 - Genoa halyard
- 15 - Double sliding hatch
- 16 - Manoeuvring winch (spinn. downhaul and topp. lift)
- 17 - Manoeuvring winch
- 18 - Manoeuvring winch
- 19 - Double deck stopper
- 20 - Main sheet winch
- 21 - Genoa sheet winch
- 22 - Spinnaker sheet winch
- 23 - Steering wheel
- 24 - Genoa sheet track
- 25 - Spinnaker pole downhaul - option
- 26 - Spinnaker pole topp. lift - option
- 27 - Main halyard
- 28 - Main downhaul
- 29 - Spinnaker pole downhaul - option
- 30 - Spinnaker pole topp. lift
- 31 - Cunningham
- 32 - Quadruple turning block



FIRST 435


ELECTRIC INSTALLATION




- 61 - Electric panel
- 60 - Options messenger conduit
- 59 - Voltmeter
- 58 - Watch
- 57 - Cigarette lighter
- 56 - 16 A fuse
- 55 - 16 A square fuse
- 54 - Shower switch
- 53 - connector (negative)
- 52 - Connector (positive)
- 51 - Connexion sticks (25²)
- 50 - Control light
- 49 - Control light resistor
- 48 - Bilge pump switch
- 47 - Used water evacuation switch
- 46 - Pressure water system switch
- 45 - Fresh water gauge switch
- 44 - Refrigeration switch
- 43 - Inside lighting switch
- 42 - RDF switch
- 41 - VHF switch
- 40 - Compass lighting switch


- 39 - Deck light switch
- 38 - Mooring light switch
- 37 - Steaming light switch
- 36 - Running lights switch
- 35 - 10 A fuse
- 34 - 5 A fuse
- 33 - 5 A fuse
- 32 - 10 A fuse
- 31 - 2 A fuse
- 30 - 10 A fuse
- 29 - 5 A fuse
- 28 - 15 A fuse
- 27 - 15 A fuse
- 26 - 5 A fuse
- 25 - 10 A fuse
- 24 - 10 A fuse
- 23 - 10 A fuse
- 22 - Fresh water gauges
- 21 - Through deck fitting for wires
- 20 - Connexion stick

- 19 - Purple deck light wire (1.5²)
- 18 - Black mast lights return wire (2.5²)
- 17 - Purple steaming light wire (0.75²)
- 16 - Red mooring light wire (0.75²)
- 15 - 25 W red/green light
- 14 - Pedestal compass light (5 W)
- 13 - Stern light (10 W)
- 12 - Oval cabin light (10 W)
- 11 - Reading light (10 W)
- 10 - Round cabin light (8 W)
- 09 - Fluorescent light (8 W)
- 08 - " (16 W)
- 07 - Chart reading lamp (5 W)
- 06 - Refrigerating unit for ice box
- 05 - Electric fresh water pump
- 04 - Battery switch
- 03 - Connexion stick in derivation box
- 02 - Battery switch
- 01 - 2 x 12 V, 124 Amp. batteries in ventilated locker



ELECTRIC PANEL






GAS SYSTEM


- I - Stove with oven
 - H - Shut off
 - G - Rigid pipe
 - F - Flexible hose (less than 1 m) Normagaz Fit 1
 - E - Bottle shut off
 - D - Gas bottle
 - C - Vent
 - B - Locker door with gasket
 - A - Glassed over 15 mm plywood gas locker
- CP 15 mm, Hypalon
 - Camping gaz
 - Camping gaz



MESSENGER CONDUITS FOR OPTIONS



- 5 - Connection conduit for starboard - port in cockpit
- 4 - Wires for cockpit repeaters and autopilot
- 3 - Wires for depthfinder and log
- 2 - Wires for windspeed, wind direct, VHF etc.
- 1 - Wires for electric windlass

coupe ad



-  Conduit under deck
-  Conduit on hull

A messenger is run through each conduit.

FIRST 435

ENGINE INSTALLATION

- 01 - Water intake with filter
- 02 - Seacock
- 03 - Diesel remote shut off
- 04 - Water filter
- 05 - Engine
- 06 - Engine cradle
- 07 - Fresh air intake hose
- 08 - Anti-siphon
- 09 - Shaft flange
- 10 - Exhaust pipe
- 11 - Exhaust manifold
- 12 - Propeller shaft
- 13 - Stuffing box
- 14 - Shaft tube
- 15 - Fouled air extraction
- 16 - Anode
- 17 - Propeller shaft bracket
- 18 - Propeller
- 19 - Remote diesel shut off wire
- 20 - Diesel tank
- 21 - Fresh air intake hose
- 22 - Fouled air extraction hose
- 23 - Diesel oil filter
- 24 - Diesel oil gauge
- 25 - Diesel tank vent
- 26 - Diesel intake fitting c



FIRST 435

ENGINE INSTALLATION

