

IPANEMA 58

Flagship Class

IPANEMA 58 – GRAND LARGE inventory (MAESTRO, 6 CABINS and LOUNGE versions)

General characteristics

Length of hull 17.02 m / 57 ft
 Overall length with 17.81 m / 58.43 ft
 Bmax 8.88 m / 29.3ft
 Draft 1.40 m / 4.6 ft
 Lightweight displacement 23 000 kg / 51 100 lbs approx.
 Displacement under maximum load 30000 kg / 66700 lbs approx.
 Maximum load 7000 kg / 15550 lbs approx.

Sail areas :

Genoa approx. 67 m² / 720 sq ft
 Mainsail approx. 102 m² / 1096 sq ft

Standard engines 2* 75 hp

Tank capacity :

Fresh water approx. 1 050 l / 278 US gallons
 Fuel approx. 1 100 l / 291 US gallons

UE Certification

Category A : 14 pers.
 Category B : 14 pers.
 Category C : 24 pers.
 Category D : 30 pers.

Naval Architect : Berret Racoupeau Yacht Design



Interior layout

General :

- Flagship woodwork
- Interior sole : parquet style flooring
- Flagship lining on rot proof glass felt
- White coated ceiling panels
- Flagship fabric for bench cushions

Saloon layout

1 - MAESTRO & 6 CABINS versions :

Galley area, saloon/dining area, chart table area

2 - LOUNGE VERSION :

Saloon area, dining area, chart table area

1 - Saloon - MAESTRO & 6 CABINS versions

General :

- Saloon access through one sliding door
- Panoramic view through picture windows and aft facing portholes
- Ventilation via 2 big front-opening hatches and 3 hatches on the roof

Galley area :

- Galley with large working top
- Double stainless steel sink
- 1 bin
- Hot and cold pressurized water
- 1 hob gas 5 burners
- 1 gaz stainless steel oven
- Fridge : 350 l
- Freezer : 190 l
- Storage cupboards
- Space allowed for a large dishwasher (12 place settings)
- Space allowed for micro wave oven
- Lighting by embedded LED spotlights

Saloon area :

- 1 coffee table
- 1 sofa
- Storage volume
- Lighting by embedded LED spotlights

Chart table area :

- Wooden chart table
- Console for electrical panel and navigational instruments
- Navigation seat
- Lighting by reading light
- Cupboards

2 - Saloon - LOUNGE version

General :

- Saloon access through one sliding door
- Panoramic view through picture windows and aft facing portholes
- Ventilation via 2 big front-opening hatches and 3 hatches on the roof

Saloon area :

- 1 coffee table
- 1 sofa
- Storage volume
- Lighting by embedded LED spotlights

Dining area :

- 1 dining table
- 1 sofa
- Chairs
- Service furniture
- Companionway toward galley and skipper cabin
- Lighting by embedded LED spotlights

Chart table area :

- Wooden chart table
- Console for electrical panel and navigational instruments
- Navigation seat
- Lighting by reading light
- Cupboards

Hulls layout

1 - STARBOARD HULL :

- 1.1 MAESTRO & 6 CABINS versions : 3 guest cabins, 1 fore peak
- 1.2 LOUNGE version : 1 galley, 1 skipper cabin, 1 guest cabin, 1 fore peak

2 - PORT HULL :

- 2.1 - MAESTRO version : 1 owner's suite, 1 guest cabin and 1 fore peak
- 2.2 - 6 CABINS version : 3 guest cabins and 1 fore peak

1 - STARBOARD hull

1.1- STARBOARD HULL : MAESTRO & 6 CABINS versions

Companionways

Access to starboard hull by two aft and forward companionways

In each companionway :

- Wooden staircase on stainless steel silt
- Lighting by embedded LED spotlights

Aft cabin :

- Access via a wooden door from the aft companionway
- Double bed (1,60/2,00m approx.)
- Bedside cabinet
- Drawer under the bed
- Cupboards and wardrobe
- Ventilation via a deck hatch + 1 porthole overlooking the rear deck
- Blind and flyscreen on the deck hatch
- Large picture-window on hull side
- Rear panoramic window
- Curtain to all windows
- Lining covered ceilings
- Main lighting by embedded LED spotlights and 2 bedside reading lights

Aft bathroom :

- Private access from the cabin
- Counter top with washbasin
- Mirror
- Shower cabin with automatic drainage of the grey water
- Manual marine toilet
- Bathroom accessories
- Ventilation via 1 deck hatch
- Lighting - waterproof LED spotlights
- Cupboard under washbasin

Middle cabin :

- Access via a wooden door from the aft companionway
- Bed (1,35/2,00m approx.)
- Bedside cabinet
- Drawer under the bed
- Cupboards and wardrobe
- Ventilation via a deck hatch + large opening porthole on hull side
- Blind and flyscreen on the deck hatch + curtain to porthole
- Lining covered ceilings
- Main lighting by embedded LED spotlights and 2 bedside reading lights

Middle bathroom :

- Private access from the cabin
- Counter top with washbasin
- Mirror
- Shower cabin with automatic drainage of the grey water
- Manual marine toilet
- Bathroom accessories
- Ventilation via 1 deck hatch
- Lighting - waterproof LED spotlights
- Cupboard under washbasin

Forward cabin :

- Access via a wooden door from the aft companionway
- Double bed (1,60/2,00m approx.)
- Bedside cabinet
- Drawer under the bed
- Cupboards and wardrobe
- Ventilation via a deck hatch + 1 porthole overlooking the rear deck
- Blind and flyscreen on the deck hatch
- Large picture-window on hull side
- Front deck window
- Curtain to all windows
- Lining covered ceilings
- Main lighting by embedded LED spotlights and 2 bedside reading lights

Forward bathroom :

- Private access from the forward cabin
- Counter top with washbasin
- Mirror
- Shower cabin with automatic drainage of the grey water
- Manual marine toilet
- Bathroom accessories
- Ventilation via 1 deck hatch
- Lighting - waterproof LED spotlights
- Cupboard under washbasin

Fore peak :

- Access through large deck hatch

1.2- STARBOARD HULL : LOUNGE version

Companionways

Access to starboard hull by two aft and forward companionways

In each companionway :

- Wooden staircase on stainless steel silt
- Lighting by embedded LED spotlight

Galley :

- Access via the aft companionway
- Galley with large working top
- Double stainless steel sink
- 1 bin
- Hot and cold pressurized water
- 1 hob gas 5 burners
- 1 gaz stainless steel oven
- Fridge : 280 l
- Freezer : 90 l
- Storage cupboards
- Space allowed for a large dishwasher (12 place settings)
- Space allowed for micro wave oven
- Lighting by embedded LED spotlights

Middle cabin (crew):

- Access via a wooden door from the galley
- Bed (1,20/2,00m approx.)
- Bedside cabinet
- Drawer under the bed
- Cupboards and wardrobe
- Ventilation via a deck hatch + large opening porthole on hull side
- Blind and flyscreen on the deck hatch
- Curtain to porthole
- Lining covered ceilings
- Main lighting by embedded LED spotlights and 1 bedside reading light

Middle bathroom :

- Private access from the cabin
- Counter top with washbasin
- Mirror
- Shower cabin with automatic drainage of the grey water
- Manual marine toilet
- Bathroom accessories
- Ventilation via 1 deck hatch
- Lighting - waterproof LED spotlights
- Cupboard under washbasin

Forward cabin :

- Access via a wooden door from the aft companionway
- Double bed (1,60/2,00m approx.)
- Bedside cabinet
- Drawer under the bed
- Cupboards and wardrobe
- Ventilation via a deck hatch + 1 porthole overlooking the rear deck
- Blind and flyscreen on the deck hatch
- Large picture-window on hull side
- Front deck window
- Curtain to all windows
- Lining covered ceilings
- Main lighting by embedded LED spotlights and 2 bedside reading lights

Forward bathroom :

- Private access from the forward cabin
- Counter top with washbasin
- Mirror
- Shower cabin with automatic drainage of the grey water
- Manual marine toilet
- Bathroom accessories
- Ventilation via 1 deck hatch
- Lighting - waterproof LED spotlights
- Cupboard under washbasin

Fore peak :

- Access through large deck hatch

2 - PORT HULL – MAESTRO version

2.1 – PORT HULL – MAESTRO and LOUNGE version

Companionway :

Access to port hull by one forward companionway

- Wooden staircase on stainless steel silt
- Lighting by embedded LED spotlight

Owner's cabin –Sleeping area

- King-size Island Bed (1,80x2,00 m approx)
- Drawer below the bed with frontal access
- Bedside shelves
- Wardrobe
- Cupboard with shelves in it
- Ventilation thanks to a deck hatch + 1 porthole overlooking the rear deck
- Rear panoramic window
- Large picture-window on hull side
- Curtains to all windows
- Main lighting via LED spotlights & 2 berth lights
- Clothes hooks

Owner's cabin – Office area :

- Desk with cabinet for storage + space for optional TV lift
- 1 seat
- Large storage furniture : hanging closet & cupboard
- Library wall niche
- 2 seater sofa
- Main lighting via LED spotlights & 1 berth light
- Ventilation via 1 deck hatch
- Lining covered ceilings

Owner's cabin - Bathroom :

- Washbasin with worktop
- Mirror with shelf
- Ventilation via 1 deck hatch
- Separate toilet accessed through wooden door
- Hot and cold freshwater system from mixer faucet
- Shower separated via a Plexiglas panel
- Electric drainage pump for greywater
- Mixing valve tap for shower
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation thanks to 1 deck hatch
- Lighting via LED spotlights

Forward cabin :

- Access via a wooden door from the aft companionway
- Double bed (1,60/2,00m approx.)
- Bedside cabinet
- Drawer under the bed
- Cupboards and wardrobe
- Ventilation via a deck hatch + 1 porthole overlooking the rear deck
- Blind and flyscreen on the deck hatch
- Large picture-window on hull side
- Front deck window
- Curtain to all windows
- Lining covered ceilings
- Main lighting by embedded LED spotlights and 2 bedside reading lights

Bathroom :

- Private access from the forward cabin
- Counter top with washbasin
- Mirror
- Shower cabin
- Automatic drainage of the grey water
- Manual marine toilet
- Bathroom accessories
- Ventilation via 1 deck hatch
- Lighting - waterproof LED spotlights
- Cupboard under washbasin

Fore peak

- Access through large deck hatch

2.2 - PORT HULL – 6 CABINS version

Companionways

Access to starboard hull by two aft and forward companionways

In each companionway :

- Wooden staircase on stainless steel silt
- Lighting by embedded LED spotlight

Aft cabin :

- Access via a wooden door from the aft companionway
- Double bed (1,60/2,00m approx.)
- Bedside cabinet
- Drawer under the bed
- Cupboards and wardrobe
- Ventilation via a deck hatch + 1 porthole overlooking the rear deck
- Blind and flyscreen on the deck hatch
- Large picture-window on hull side
- Rear panoramic window
- Curtain to all windows
- Lining covered ceilings
- Main lighting by embedded LED spotlights and 2 bedside reading lights

Aft bathroom :

- Private access from the aft cabin
- Counter top with washbasin
- Mirror
- Shower cabin
- Automatic drainage of the grey water
- Manual marine toilet
- Bathroom accessories
- Ventilation via 1 deck hatch
- Lighting - waterproof LED spotlights
- Cupboard under washbasin

Middle cabin :

- Access via wooden door from the front passageway
- Double bed (1,60/2,00m approx.)
- Bedside cabinet
- Drawers and storage volume under the bed
- Cupboards and wardrobe
- Ventilation via a deck hatch with blind and flyscreen
- Large opening porthole on hull side with curtain
- Main lighting by embedded LED spotlights and 2 bedside reading lights

Middle bathroom :

- Private access from the middle cabin
- Counter top with washbasin
- Mirror
- Shower cabin
- Automatic drainage of the grey water
- Manual marine toilet
- Bathroom accessories
- Ventilation via 1 deck hatch
- Lighting - waterproof LED spotlights
- Cupboard under washbasin

Forward cabin :

- Access via a wooden door from the aft companionway
- Double bed (1,60/2,00m approx.)
- Bedside cabinet
- Drawer under the bed
- Cupboards and wardrobe
- Ventilation via a deck hatch + 1 porthole overlooking the rear deck
- Blind and flyscreen on the deck hatch
- Large picture-window on hull side
- Front deck window
- Curtain to all windows
- Lining covered ceilings
- Main lighting by embedded LED spotlights and 2 bedside reading lights

Forward bathroom :

- Private access from the forward cabin
- Counter top with washbasin
- Mirror
- Shower cabin
- Automatic drainage of the grey water
- Manual marine toilet
- Bathroom accessories
- Ventilation via 1 deck hatch
- Lighting - waterproof spotlights
- Cupboard under washbasin

Fore peak

- Access through large deck hatch

Deck layout

Flying bridge

- Surface : 20 m²
- Double access from port and starboard side
- Helm station with 2 places seat, steering and instruments console, engine throttles and control panels , 360 ° view
- Manoeuvring station with 4 winches for mainsail , genoa sheet , reefing lines etc...)
- Lounge deck with large seating bench.
- On port side : sofa

Central cockpit

- Large cockpit: Circulation without threshold towards the saloon.
- Access via the transom platforms
- GRP Bimini protecting all the cockpit
- 4 seats transom sofa with 2 large storage lockers
- 1 Teck cockpit table with a capacity of 10 places
- 1 port sofa with 1 large storage locker
- 2 Sunbeds
- 1 Gas chest
- Space on starboard side for a cockpit optional 130L fridge + icemaker
- Lighting via spotlights
- Space available for a barbecue on starboard side aft of the cockpit

Fore deck

- 2 large lockers with hatch
- 1 large mooring locker
- 2 areas for sunbeds

2 technical holds aft

- Accessed through polyester locker cover on jack in the cockpit
- Light bar lighting
- Access to the main engines
- Engine compartments with sound insulation

Engines

Engines and equipment

- 2 x 75hp diesel engines
- High-resistance stainless steel direct transmission shafts
- V-shaped shaft bearing bracket
- 2 three-blade fixed propellers
- Complete control panels and dual engine controls at helming station

Diesel circuit

- 2 x 550 l diesel tanks with direct filling by plug-hole on the deck
- Electrical gauge with indicator at chart table
- Diesel shut-off valves
- Diesel filtering
- Diesel water filtering

Plumbing

- Freshwater 1050 l tank with 1 electric gauge (indicator at chart table)
- Electric pump and pressure accumulator
- Dockside intake for direct connection to fresh water supply
- 2 x 40 L water heater
- 1 electrical bilge pump in each engine room
- 1 independent electrical bilge pump in each hull
- 4 x automatic starting for bilge pumps with audible and visual alarm at the chart table
- 2 hand-operated external drying out pumps
- Grey water control with automatic pumps
- 1 central holding tank for black water

Electricity / Electronics

Power circuit

- 1 port engine battery 12V + 1 starboard engine battery 12V
- 2 engine alternators 12V recharging these 2 engine batteries
- Back-up manual connection between both sets of engine batteries
- 1 set of batteries for on board energy supply 24V – 450 Ah
- 2 engine alternators 24V recharging the set of batteries for the energy supply onboard

Distribution 24V

- Multiplexed distribution of 24V functions
- Function control panel at the chart table : 7" tactile color screen
- 2nd control panel for main functions
- Monitoring for tanks, batteries, alarms
- Free sockets for other equipment

Rigging and Sails

Mast and boom

- Anodized aluminium mast and boom
- Full standing rigging
- 1 mainsail halyard, twin-thread low-stretch cover
- 1 genoa halyard
- 1 spinnaker halyard
- 1 boom topping lift
- 3 reef lines
- 2 lazy-jacks
- 2 flag halyards
- Mainsail halyard at the helm station
- Reef lines at the helm station
- Jammers on all halyards, reef lines and topping lift
- Underway, running and anchorage lights

Sails

- Fully-battened mainsail, 3 reef lines and ball bearing traveler
- Genoa
- Genoa roller furler led back to helm station

Deck gear

Mainsail and genoa jib

- Deck gear centralized at the helm station
- 1 self tailing winch for mainsheet
- Line driver for mainsheet traveler
- 1 self tailing winch for mainsail halyard and genoa roller furler
- 2 self tailing winch for genoa sheets
- 1 mainsheet tackle
- 1 jammer for mainsheet
- 1 mainsail ball-bearing sheet traveler
- 2 x traveler trimming tackle on jammers
- Genoa track traveler with lead block

Other equipment

- Hydraulic helming system with leather covered steering wheel helm, hand pump, 2 jacks
- Emergency steering gear
- 1 steering compass
- 3 winch handles + 3 pockets
- 1 x 2000W / 24V electric windlass
- Pushpits and pulpits, stanchions with upper and lower guardrails
- 2 pulpits with Swedish seatings
- 2 Teak battened aft transom lower platform
- 1 swim ladder + 1 hot / cold water shower in the starboard transom
- 6 mooring cleats (2 foredeck + 2 middle + 2 astern)
- 2 stainless steel davits with 1 manual winch

All dimensions are provided by way of indication only.